


# SENTRIGARD ML200 SERIES 0.032" ALUMINUM ROOF PANEL


## 18" WIDE x 2" STANDING SEAM PANELS OVER 5/8" PLYWOOD

### WITH DOUBLE (180°) SEAM

MAX DESIGN PRESSURE	
-71 Psf	(36" CLIP SPACING)
-138.5 Psf	(24" CLIP SPACING)
-176 Psf	(6" CLIP SPACING)




**XL CLIP**  
24/18 Ga. GALVANIZED STEEL  
or  
24/18 Ga. STAINLESS STEEL





**STANDARD CLIP**  
24 Ga. GALVANIZED STEEL  
or  
24 Ga. STAINLESS STEEL

#### CLIP OPTIONS




#### SECTION A-A



#### PANEL PROFILE

#### GENERAL NOTES:

1. ROOF SLOPE IS LIMITED PER THE REQUIREMENTS OF FBC SECTION 1515.2.
2. DESIGN OF SUBSTRATE IS BY OTHERS AND NOT A PART OF THIS APPROVAL.
3. SEE EVAL REPORT FOR UNDERLAYMENT, FIRE BARRIER, AND DECK FASTENER INFO.
4. ALL PANEL SYSTEM PERIMETERS, PENETRATIONS, AND TRANSITIONS TO BE FLASHED AND SEALED PER THE MANUFACTURER'S INSTALLATION INSTRUCTIONS AND RAS 133.



SCOTT WOLTERS  
FL PE# 62354  
WOLTERS ENGINEERING  
(COA# 27194)  
15211 97TH ROAD N  
WEST PALM BEACH, FL 33413  
(561) 225-1982

**SENTRIGARD**  
METAL ROOFING SYSTEMS



DWG: ML20A18-HZ  
SHEET: 1/1

PH: (434) 847-2445  
www.sentrigard.com

65 10TH STREET  
LYNCHBURG, VA 24504

REV.#	DATE	ISSUED FOR
1	6/25/24	FIRST SUBMITTAL PRINTS